



SafeChoice® Mare and Foal Pellet

Product Purpose: SafeChoice® Mare and Foal is a controlled starch pelleted formula for pregnant or lactating mares, weanlings, and yearlings.

Product Features:

- Makes weaning transitions easier for mares and foals
- Balanced calcium, phosphorus, copper and zinc to help support healthy bone growth



Includes **Topline Balance™**, Nutrena's unique approach to topline health


Product Information:

- Product code 94513 – 50 lb. Pellet
- UPC 7-22304-30008-1

Product Form Description:

Pelleted—compressed product form providing consistent nutrition in every piece which eliminates sorting by the animal.

Product Packaging:



Guaranteed Analysis:

| | |
|------------------------------|----------------------|
| Crude Protein | Min. 16.0% |
| Lysine | Min. 0.95% |
| Methionine | Min. 0.4% |
| Threonine | Min. 0.6% |
| Crude Fat | Min. 7.0% |
| Crude Fiber | Max. 15.0% |
| Acid Detergent Fiber | Max. 15.0% |
| Neutral Detergent Fiber | Max. 33.0% |
| Dietary Starch* | Max. 17.0% |
| Sugar* | Max. 5.0% |
| Calcium | Min. 0.9%-Max. 1.2% |
| Phosphorus | Min. 0.7% |
| Copper | Min. 60 PPM |
| Selenium | Min. 0.5 PPM |
| Zinc | Min. 180 PPM |
| Vitamin A | Min. 5,000 IU/LB |
| Vitamin D3 | Min. 500 IU/LB |
| Vitamin E | Min. 150 IU/LB |
| Biotin | Min. 0.45 MG/LB |
| Lactobacillus acidophilus | Min. 5.10 mil CFU/LB |
| Lactobacillus casei | Min. 5.10 mil CFU/LB |
| Bifidobacterium thermophilum | Min. 5.10 mil CFU/LB |
| Enterococcus faecium | Min. 5.10 mil CFU/LB |

*NSC (Non-structural Carbohydrates) = Dietary Starch + Sugar

Please refer to the product tag on bag for ingredient list, complete feeding directions, date code, lot number and most up-to-date guaranteed analysis.

Feeding Directions

| Life Stage | Horse | LB Feed Per 100lb Bodyweight |
|--------------------|---------------------------------------|------------------------------|
| Broodmares & Foals | Pregnant mares/Last half of pregnancy | 0.5 – 0.75 |
| Broodmares & Foals | Early lactation (foaling – 3 months) | 1.0 – 1.5 |
| Broodmares & Foals | Late lactation (3 months – weaning) | 0.75 – 1.0 |
| Broodmares & Foals | Foals | Creep feed |
| Broodmares & Foals | Weanlings | 1.5 – 1.75 |
| Broodmares & Foals | Yearlings | 0.75 – 1.5 |

The above feeding directions are guidelines to maintain desired body condition and performance. Feeding rates need to be adjusted according to the horse's body condition and activity level. Divide the recommended daily feeding rate into 2 or more meals per day and feed with good quality hay or pasture equivalent at the rate of 1.0-1.75 LB per 100 LB bodyweight or kg per 100 kg bodyweight to provide a minimum of 50% of the diet from forage.

Performance horses may benefit from being fed more frequently.

Clean water should be available at all times. Horses that have been exercised should be cooled out and re-hydrated properly before being fed and before having access to unlimited water.

CAUTION: Store feed in a clean, cool and dry location. Storage area should be free of insects and rodents. Do not allow animals access to feedstuffs that show signs of insect or rodent infestation. Do not allow animals access to hot or moldy feedstuffs at any time.